



artstone®

THE ART OF
COVERINGS

INSPIRE, DESIGN AND NATURE...

THE
INNOVATIVE
FACE OF
DESIGN





Becoming operational in 2005 as a pioneer and innovative brand of decorative wall panels, Artstone Inc. carries the understanding and vision of decoration to a different area and allows creative solutions inspired by the nature in all spaces.

It forges ahead to be the representative of quality and trust as a successful business partner of project solutions, operating locally and abroad with its young, dynamic and visionary team.

"Artstone Decorative Wall Panels", designed and produced in Turkey, is the brand that does not keep up with the fashion but creates the fashion with its own line and unique models.

INNOVATIVE ART

| | |
|---------------------|----|
| DUSK | 10 |
| CURIO | 12 |
| WAVY | 15 |
| CHOPPY | 16 |
| NUKKS | 18 |
| W-PLATE | 20 |
| SUGI-BAN | 23 |
| BOHEMIA | 24 |
| VEDTRA | 26 |
| TRAPE | 28 |
| 3ANGLE | 30 |
| LAMBRIS | 33 |
| CORK QUERCUS | 34 |
| CORK OAK | 36 |
| KORS | 38 |
| TRÅD | 39 |
| RUINA VINTAGE | 40 |
| RUINA | 42 |
| MASONRY MOSS | 44 |
| BAOBAB MOSS | 47 |
| AMAZON | 48 |
| TIMBER | 50 |
| MAYON | 52 |
| HORMIGON VINTAGE | 54 |
| ZANZIBAR | 56 |
| HORMIGON PLUS OXIDO | 60 |
| TORNILLO OXIDO | 62 |
| WOOD BARBADOS | 65 |
| ROCA | 68 |
| TAYGA | 72 |
| SPECTRA | 73 |
| TOCHO | 74 |
| MAGMA | 76 |

STEEL

| | |
|----------|----|
| G QUBE | 80 |
| BOLTS | 81 |
| FORG | 82 |
| WOXX | 83 |
| ROOTZ | 84 |
| WELD XIX | 85 |

CONCRETE

| | |
|---------------|-----|
| T-ROD PLATE | 88 |
| H-PLATE | 90 |
| H-RECTA | 92 |
| HORMIGON 3D | 94 |
| HORMIGON | 96 |
| HORMIGON LOFT | 98 |
| HORMIGON PLUS | 100 |

BRICK

| | |
|--------------------|-----|
| PERFORADO XXI | 104 |
| HERITAGE PERFORADO | 106 |
| HERITAGE XVII | 108 |
| HERITAGE XVIII | 110 |
| HERITAGE XIX | 112 |
| HERITAGE LOFT | 114 |
| LADRILLO LOFT CURE | 117 |
| LADRILLO MASONRY | 118 |
| LADRILLO | 120 |
| LADRILLO LOFT | 122 |
| LADRILLO VINTAGE | 126 |
| LADRILLO PERFORADO | 128 |
| LADRILLO BRECON | 130 |

STONE

| | |
|-------------|-----|
| SURIN SLATE | 134 |
| KARON SLATE | 136 |
| BRUDT | 138 |
| JAKARTA | 140 |

| | |
|----------------|-----|
| PICADA VINTAGE | 142 |
| PIZARRA | 144 |
| FIJI | 146 |
| LASCAS | 148 |
| LAJAS | 150 |
| PICADA | 152 |
| RUSTICA | 154 |
| PRENAICA | 156 |
| LASTRA | 158 |
| SILLAREJO | 160 |

REFERENCES

| | |
|--|-----|
| | 162 |
|--|-----|

KAROART

| | |
|------------|-----|
| MARGAUX | 182 |
| ARIETTA | 184 |
| BOIS | 188 |
| VERMONT | 189 |
| DAISY | 192 |
| BRODERIE | 194 |
| EPICURE | 195 |
| VERSAILLES | 198 |
| GRENIER | 200 |
| PLAFONT | 204 |
| FLORENZ | 206 |
| FONTENAY | 207 |
| VICTORIAN | 208 |

PRODUCT ADVANTAGES

| | |
|--|-----|
| | 210 |
|--|-----|

SPECIFICATIONS

| | |
|--|-----|
| | 212 |
|--|-----|

INSTALLATION

| | |
|--|-----|
| | 213 |
|--|-----|

OUR DIFFERENCES

| | |
|--|-----|
| | 214 |
|--|-----|

ARTSTONE AT A GLANCE

| | |
|--|-----|
| | 218 |
|--|-----|

PROJECT APPROACH

| | |
|--|-----|
| | 220 |
|--|-----|

SERVICE NETWORK

| | |
|--|-----|
| | 221 |
|--|-----|

INTERNATIONAL PORTFOLIO


| | |
|--|-----|
| | 222 |
|--|-----|



INNOVATIVE ART

DUSK

NEW



Grey | A-101-07



Eternity | A-103



Sage | A-104



Taupe | A-105

h: 270 cm
w: 102 cm



CURIO



h: 269 cm
w: 101 cm



Apron | A-135



Grey | A-131-07



Eternity | A-133



Intenso | A-132



WAVY



h: 269 cm
w: 111 cm



Crudo | A-151-02



Dusty | A-157



Grey | A-151-07



Seta | A-158

CHOPPY



h: 273 cm
w: 103 cm



Cream | A-171-13



Grey | A-171-07



Rapee | A-176



Seta | A-178



Terrosa | A-179

NUKKS

NEW



h: 269 cm
w: 101 cm



Clay | A-212



Cream | A-201-13



Grey | A-201-07



Rapee | A-211



Terrosa | A-209



W-PLATE



Apron | A-225



Crudo | A-221-02



Seta | A-228

h: 281 cm
w: 126 cm





SUGHBAN



Basalto | A-672



Blanca | A-671-01



Earth | A-673



Negra | A-671-11



Silver Black | A-674

h: 298 cm
w: 130 cm

BOHEMIA



Earth | A-842



Natura | A-843

h: 297 cm
w: 125 cm



VEDTRA




h: 124 cm
w: 299 cm



Basalto | A-693



Blanca | A-691-01



Cobriza | A-694



Earth | A-695



TRAPE



h: 301 cm
w: 119 cm




Basalto | A-613



Blanca | A-611-01



Grey | A-611-07



Oxido | A-612



3ANGLE

NEW



Grey | A-771-07




Dark Grey | A-773



Mocha | A-771-05

h: 280 cm
w: 102 cm



LAMBRIS



Basalto | A-685



Carmin | A-684



Earth | A-683



Natura | A-682

CORK QUERCUS



h: 120 cm
w: 270 cm



Cobriza | A-782



Faon Blanc | A-784



Ocre | A-783



CORK OAK



h: 120 cm
w: 270 cm



Blanca | A-791-01



Earth | A-792



Polo Earth | A-793

KORS



h: 117 cm
w: 278 cm



Basalto | A-633



Cobrizo | A-634



Earth | A-635

TRÄD



h: 109 cm
w: 280 cm



Basalto | A-664



Cobrizo | A-663



Ocre | A-665

RUINA VINTAGE



h: 109 cm
w: 279 cm



Ocre | A-642



Carmin | A-643



RUINA



h: 127 cm
w: 296 cm



Arce | A-304



Carmin | A-305



Gris | A-303



Ocre | A-302



MASONRY MOSS



h: 131 cm
w: 278 cm

A-602





BAOBAB MOSS



h: 130 cm
w: 300 cm

A-622



AMAZON



h: 130 cm
w: 301 cm



Blanca | A-311-01



Earth | A-313



Natura | A-312



TIMBER



h: 109 cm
w: 281 cm



Basalto | A-445



Carmin | A-444



Cobriza | A-443



Natura | A-442



MAYON



h: 132 cm
w: 115 cm



Carmin | A-404



Cobriza | A-402



Intenso | A-403



HORMIGON VINTAGE



h: 126 cm
w: 296 cm



Multicolor | A-365



Natura | A-362



Rojo | A-363



Triamel | A-364



ZANZIBAR



h: 128 cm
w: 296 cm



Anthracite | A-351-10



Blanca | A-351-01



Carmin | A-353



Earth | A-354



Intenso | A-352





HORMIGON PLUS OXIDO



h: 134 cm
w: 299 cm

A-372



TORNILLO OXIDO



h: 131 cm
w: 296 cm

A-376






WOOD BARBADOS



h: 130 cm
w: 297 cm



Basalto | A-383




Blanca | A-381-01



Cobrizo | A-385



Earth | A-386



ROCA



h: 127 cm
w: 297 cm



Basalto | A-244



Blanca | A-241-01



Cobrizo | A-246



Natura | A-242



Negra | A-241-11



Triamel | A-245






TAYGA




h: 131 cm
w: 296 cm



Basalto | A-473



Cobriza | A-474



Natura | A-472


SPECTRA



h: 120 cm
w: 290 cm



Anthracite | A-411-10



Carmin | A-414



Earth | A-412



Triamel | A-413

TOCHO



h: 132 cm
w: 299 cm



Cobriza | A-483



Earth | A-484



Natura | A-482



MAGMA



h: 130 cm
w: 297 cm



Anthracite | A-421-10



Basalto | A-422



Blanca | A-421-01



Carmin | A-424



Earth | A-425



Triamel | A-423





STEEL

G QUBE



h: 129 cm
w: 259 cm

SI-701



BOLTS



h: 129 cm
w: 259 cm

SI-731



FORG



h: 128 cm
w: 259 cm

SI-721



WOXX



h: 128 cm
w: 258 cm

SI-751



ROOTZ



h: 129 cm
w: 259 cm

SI-741



WELD XIX



h: 130 cm
w: 259 cm

SI-711





CONCRETE

T-ROD PLATE



h: 125 cm
w: 299 cm

88



Grey | C-921-07



Dark Grey | C-923



Intenso | C-922



89

H-PLATE



h: 110 cm
w: 280 cm



Grey | C-911-07



Anthracite | C-911-10



Intenso | C-912



Fonce | C-914



Terrosa | C-915



H-RECTA



h: 120 cm
w: 238 cm



Grey | C-901-07



Anthracite | C-901-10



Intenso | C-902



Natura | C-904



Fonce | C-905



Tosca | C-906



HORMIGON 3D



h: 130 cm
w: 298 cm




Anthracite | C-501-10



Grey | C-501-07



Intenso | C-503



HORMIGON



h: 133 cm
w: 300 cm



Anthracite | C-101-10



Blanca | C-101-01



Grey | C-101-07



Intenso | C-102



Triamel | C-103



HORMIGON LOFT



h: 127 cm
w: 298 cm



Grey | C-331-07



Anthracite | C-331-10



Intenso | C-332



Triamel | C-333



Natura | C-336



HORMIGON PLUS



h: 134 cm
w: 299 cm



Anthracite | C-111-10



Blanca | C-111-01



Grey | C-111-07



Intenso | C-112



Triamel | C-113





BRICK

PERFORADO XXI



h: 123 cm
w: 290 cm



Blanca | B-761-01



Grey | B-761-07



Polo | B-764



Rojo | B-762



HERITAGE PERFORADO



h: 123 cm
w: 290 cm



Blanca | B-861-01



Eclectic | B-862



Rojo | B-863



Rojo Blanca | B-864



HERITAGE XVII



h: 116 cm
w: 292 cm



Blanca | B-531-01




Earth Blanca | B-536



Grey Dark | B-537



Multicolor Negra | B-535



Oxido | B-533



Rojo | B-532



HERITAGE XVIII



h: 118 cm
w: 301 cm



Blanca | B-541-01



Blanca Dark | B-547



Eclectic | B-544



Oxido | B-543



Rojo | B-542



HERITAGE XIX



h: 131 cm
w: 285 cm



Blanca | B-551-01



Earth | B-555



Rojo | B-552



HERITAGE LOFT



h: 135 cm
w: 298 cm



Blanca | B-521-01



Polo Rojo | B-526



Rojo Polo | B-527



Rojo | B-522



Triamel | B-525





116

LADRILLO LOFT CURE



h: 130 cm
w: 303 cm

117



Blanca | B-561-01



Grey Dark | B-565



Rojo | B-562



Terrosa | B-566


LADRILLO MASONRY



h: 131 cm
w: 278 cm



Blanca | B-511-01



Earth | B-515



Intenso | B-513



Rojo | B-512




LADRILLO



h: 130 cm
w: 294 cm



Anthracite | B-201-10



Blanca | B-201-01



Claro | B-204



Multicolor | B-203



Polo Rojo | B-202-02



Rojo | B-202



LADRILLO LOFT



h: 129 cm
w: 305 cm



Anthracite | B-291-10



Basalto | B-293




Blanca | B-291-01



Eclectic | B-299



Polo Rojo | B-292-04



Rojo Efekt | B-292-02



Rojo | B-292





124

125

İstanbul
Mall

KARACA

LADRILLO VINTAGE




h: 127 cm
w: 298 cm



Anthracite | B-321-10



Blanca | B-321-01



Earth | B-325




Eclectic | B-327



Multicolor | B-322




Polo | B-324



Polo Eclectic | B-324-02



Rojo | B-323



Triamel | B-326



LADRILLO PERFORADO



h: 129 cm
w: 299 cm



Anthracite | B-451-10



Blanca | B-451-01



Eclectic | B-453



Rojo | B-452



LADRILLO BRECON



h: 133 cm
w: 304 cm



Anthracite | B-491-10



Blanca | B-491-01



Cobrizo | B-493



Rojo | B-492





STONE

SURIN SLATE



h: 129 cm
w: 299 cm



Cobriza | S-804



Earth | S-803



Gris | S-802



KARON SLATE



h: 130 cm
w: 295 cm



Cobriza | S-813



Earth | S-814



BRUDT




h: 121 cm
w: 227 cm

Triamel | S-654



JAKARTA



h: 120 cm
w: 238 cm

S-822



Blanca | S-821-01



Carmin | S-822



Fonce | S-824



Terrosa | S-823



PICADA VINTAGE



h: 130 cm
w: 294 cm



Basalto | S-392



Cobriza | S-393



PIZARRA



h: 137 cm
w: 301 cm



Blanca | S-341-01



Cobrizo | S-345



Intenso | S-342



Negra | S-341-11




FIJI



h: 127 cm
w: 296 cm



Basalto | S-463



Blanca | S-461-01



Earth | S-464



Negra | S-461-11



LASCAS



h: 132 cm
w: 297 cm



Basalto | S-214



Blanca | S-211-01



Cobriza | S-216



Gris | S-213



Negra | S-211-11



Ocre | S-215



Terrosa | S-212



LAJAS




h: 131 cm
w: 302 cm



Basalto | S-224



Blanca | S-221-01



Gris | S-222



Ocre | S-223



PICADA



h: 131 cm
w: 301 cm



Blanca | S-121-01



Castellana | S-122



Gravel | S-125




Gris | S-126



RUSTICA



h: 132 cm
w: 298 cm



Blanca | S-281-01



Castellana | S-282



Cobrizo | S-283



PRENAICA



h: 132 cm
w: 300 cm



Blanca | S-261-01



Carmin | S-266



Gris | S-262




Ocre | S-263



LASTRA



h: 131 cm
w: 298 cm



Blanca | S-141-01



Castellana | S-142



Cobriza | S-144



SILLAREJO



h: 130 cm
w: 300 cm



Arce | S-275



Blanca | S-271-01



Cobriza | S-273




REFERENCES





REFERENCES



REFERENCES



REFERENCES




REFERENCES



REFERENCES




REFERENCES




REFERENCES





KAROART
ETHNIC VINTAGE



We are bringing the traces of the past into your spaces...

Inspired by culture, history and a noble origin, “**Karoart**” patterns offer an international sense of aesthetics. Karoart series offer 13 models and more than 100 color combinations to fill your spaces with luxury, nobility, grandeur, trust, solidity, generosity and a feeling of history, with light-shadow games that emerge from their patterns, textures and three-dimensional appearance.



MARGAUX



h: 123 cm

w: 246 cm



Oxyd Blanc
KA-15981



Crème D'or
KA-15793



Blanc Azuré
KA-15781




Bonamy
KA-15451



Rosé Noir
KA-15871



ARIETTA



h: 124 cm
w: 247 cm



Rose D'or
KA-22874

Bonamy
KA-22451

Feu Vert D'or
KA-22971

Gris D'or
KA-22773

Noir Bronze
KA-22673





BOIS




h: 123 cm
w: 246 cm




Crème D'or KA-12793
Noir Bronze KA-12673
Foncé Bronze KA-12693

VERMONT



h: 118 cm
w: 238 cm



Crème D'or KA-18793
Noir Bronze KA-18673
Foncé D'or KA-18694
Azuré Bronze KA-18893
Feu Vert D'or KA-18971



DAISY



h: 123 cm



w: 246 cm



Oxyd
KA-17128



Foncé D'or
KA-17694



Crème D'or
KA-17793



Anthracite Bronze
KA-17682



BRODERIE



h: 124 cm
w: 247 cm



Noir Bronze
KA-19673

Crème D'or
KA-19793

Foncé D'or
KA-19694

EPICURE



h: 120 cm
w: 241 cm



Dijon
KA-16452

Noir Bronze
KA-16976

Chambéry
KA-16457

Foncé D'or
KA-16694

Rosé Pol Azuré
KA-16873

Anthracite Argent
KA-16683

Crème D'or
KA-16793



VERSAILLES



h: 123 cm



w: 244 cm



Blanc D'or
KA-21782




Feu Vert D'or
KA-21971



Moredoré Noir
KA-21986



Dijon Blanc
KA-21785



Bonamy
KA-21792



Rosé D'or
KA-21874



Crème Foncé
KA-21791



GRENIER



h: 122 cm
w: 246 cm



Bonamy
KA-20451

Oxyd Blanc
KA-20981

Oxyd
KA-20128

Blanc D'or Noir
KA-20783





PLAFONT



h: 123 cm



w: 246 cm



Noir D'or
KA-11674

Bonamy
KA-11451

Noir Blanc
KA-11671

Anthracite Bronze
KA-11682



FLORENZ



h: 123 cm
w: 245 cm



Foncé Bronze
KA-13693

Noir D'or
KA-13674

Gris Blanc
KA-13771

FONTENAY



h: 120 cm
w: 240 cm



Noir Bronze
KA-14673

Noir Argent
KA-14675

Bonamy
KA-14451

VICTORIAN



h: 124 cm
w: 247 cm



Noir Bronze | KA-23673



Bonamy | KA-23451



Oxyd | KA-23128



Blanc D'or | KA-23782



Foncé Blanc | KA-23692





PRODUCT ADVANTAGES

With its lightweight structure, its versatile products that can be easily applied to all interior and exterior areas with the exception of floors and its design infrastructure that harmonizes with different styles, Artstone has become a favorite brand in decoration sector.

- Artstone resembles to natural stone in its appearance and texture.
- It gives the exact same effect as desired.
- It can be easily applied to any surface when plastering is completed.
- It eliminates extra costs such as painting and insulation.
- Comparing to natural stone, it is more practical to install an installation times are greatly reduced.
- It is not affected by water and humidity.
- It can be easily applied to surfaces previously damaged by these conditions and it eliminates such problems.
- It eliminates unfavorable factors such as regional breaks and fragmentation and joint gaps which often occur in natural stone.
- It can be mounted on any surface. It does not affect the static, and puts virtually no extra weight on the application surface.
- In addition, the costs of disassembly are minimized since it is easy to dismount.
- It can be drilled and cut.
- Any decorative material can be hung on it.
- By forming columns and arches from profiles, you can create partition walls, fireplaces, vaults and etc. on any desired surface.
- It is very simple to install with screws and dowels. It is a practical and impressive solution that saves construction time - important for companies like Hotels, SPA Centers, Cafes, Restaurants and Stores that often need decorative modifications.
- It does not harm the surfaces it is applied to, except for the screw holes.
- It does not cause any construction dirt (sand, cement etc.) and does not harm the environment.
- It does not require construction and building permission.
- Different shapes can be applied due to its flexible structure.
- In proportion to natural stone's m² weight, it is 10 times lighter.
- Comparing to natural stone, it does not have a possibility to grow bacteria.
- It is easy to clean, can be washed and wiped.

- Spaces and custom designs, which are very hard to be applied with natural stone, can easily look and feel like natural stone, wood or concrete thanks to Artstone®.
- On surfaces, where stone paving is risky and costly such as ceilings, depending on the ceiling structure; it can either be mounted directly to the ceiling or be installed on the carcass built on the vaulted ceiling.
- You can apply custom colors and patina processes on Artstone products of your personal choice or corporate identity from the custom, non-standard RAL catalog.
- Panel measurements stated in the catalogue may vary up to ±1%.



ORIGINAL PRODUCT SUPPLY



NON-COMBUSTIBLE



SPECIFICATIONS

- They are panel systems that are produced of fiberglass, ecological resin (isophthalic, low in stress, 1st class polyester) and natural stone dust and prepared with special coloring techniques.
- **Artstone®** has a real stone-like feel and look. It feels like natural stone.
- It is not PVC, MDF or NATURAL STONE.
- **Artstone®** panels is in «A2 s1 d0» class of non-combustible criteria (reaction of construction products to fire and fire resistance performance) in Euroclass TS EN 13501-1 classification. With reference to technical data, there is no deformation and deformation between -40 and +120°C degrees. Its thermal resistance is 800 °C. All product groups have «non-flammability feature» as a standard. Some of our models are optionally produced in «Class B». The weight of our panels per m² and their thickness vary depending on the model.
- While their weight varies between 6-10 kg/m², their thickness is between 7 mm and 12 mm, their depth range from 1 to 4 cm.
- Panel dimensions are; Artstone series; ~130x300 cm. - Karoart Series ~120x240 cm. Artstone covers ~ 4 m² space, Karoart covers ~ 3 m² space
- Its sound insulation index is 40db. In terms of the sound level in a space, it insulates 100hz sound on average.
- It provides ultraviolet protection and is not affected by harmful rays.
- It is thin, yet resistant to damages and shock absorbing.

- Its color does not fade. We are solution partners with «JOTUN», which is the world's leading brand in terms of paint quality and fastness guarantee.
- It is not affected by water and humidity.
- It has many alternatives in any natural stone, concrete, tile or brick, stone and oxide look.
- It can be cut to the desired dimensions. It can be applied to any wall or ceiling surface using screws and dowels after its rough construction is completed.
- It does not include any carcinogenic materials. It has been certified that it is not harmful to human health or environment.
- Since original stone dust is used in production instead of synthetic paint, the color of panels might differ as it does in natural stone.
- Due to its lightweight, it can be mounted on portable stands. It can be shaped due to its flexible structure. It can be applied to cylindrical spaces with 50 cm dimensions, which is the lower limit. (The lower limit varies depending on the type of product.)
- It is suitable for exteriors.
- Since a special mastic filling that contains stone dust is used on joints and junctions, panels have the pattern integrity, not pattern incoherence.
- Each model has its own touch-up paints. During touch-up process, the pattern is applied on junction points and screws, then joint paint is applied and a solid look is acquired.

WALL COVERING INSTALLATION



1- Measuring the application area



2- Scaling of the panel to be applied



3- Cutting the panel by angle-grander



4-a) Assembling by nails



4-b) Assembling by screws



5- Leaving a space by 1cm between two panels



6- Preparing the assembly putty



7- Covering the spaces by assembly putty by using a putty knife



8- Whiping into shape by brush and putty knife



9- Waiting for drying for assembly putty



10- Re-touch painting by airbrush



11- Installation finished after drying

OUR DIFFERENCES

PRODUCT QUALITY

A) RAW MATERIAL

- "Isophthalic polyester" used in the mix is the primary distinctive feature of Artstone panel systems.
- Flexural-tensile strength and impact resistance values known as Barcol hardness enables showing a better performance comparing to general-purpose polyesters.
- Artstone panels, which are suitable for EXTERIOR use due to their strength against acidic environments, sudden changes of temperature and high temperature endurance, show a better performance when compared to its competitors.
- Artstone panels have the same characteristics of the raw material used in manufacture of wind turbines, planes, yachts and boats.
- It is hygienic and suitable for food contact.
- It does not contain any raw material that is hazardous on human health.

The panel does not bend or pull-off in hot and cold environments, especially in outside air conditions. This is the most common problem of panels that are not Artstone.

B) NON-COMBUSTIBLE

All models of Artstone panels have "A2 s1 d0 NON-COMBUSTIBLE CERTIFICATE". This is the

main required qualification for projects that are being constructed and renovated in today's conditions. The fact that companies in composite covering sector with A2 s1d0

non-combustible certified products is very limited is another reason to prefer Artstone. According to EU regulations, our panels successfully passed the fire test Euroclass TS EN 13501-1 (reaction of construction products to fire and fire resistance performance).



C) PRODUCT THICKNESS & RESISTANCE

Production of Artstone panels in a certain thickness brings maximum resistance along. When equivalent or copied substandard products are considered; thinner panels produced with no resistance to lower the product cost cause problems in the long term. It has been observed that producing panels in substandard thickness causes breakages, cracks and bending. In terms of being in accordance with "technical specifications", Artstone keeps its thickness standard between 7 and 12 mm. The panel's flexural strength has been calculated as 319 N/mm² and modulus of elasticity as 40000 N/mm² as a result of measurements. These values constitute the required standard values. According to TS EN 59 standards, Barcol hardness value is determined as 52. This value is 44 for glass reinforced products, which is above the anticipated hardness. It is important to know that values under the limit are considered as "non-suitability".



D) IMPACT RESISTANCE

In the impact resistance test done according to TS EN ISO 179-1 standards, Artstone panel's impact resistance has been calculated as 30kj/m². Glass fiber composites' Charpy impact resistance value is higher than 25.45kj/m² according to DIN ISO179 standards. This is especially important for unfavorable weather conditions. Resistance of Artstone panels against any possible impact and shock is very high. In conclusion, our product has "shock absorber" feature.

E) THE MOST NATURAL LOOK

If a product is a panel with natural stone look and structure, it does not mean that it has a natural look. 90% Artstone's production process occurs technologically, while 10% occurs with hand-workmanship. This brings the exact creation of the desired structure and look with it. "Natural look", which is obtained through color combinations with special inorganic pigments for the produced panels and special painting techniques performed afterwards, is another distinctive feature of Artstone panels.



NOT EVERY WALL PANEL IS "ARTSTONE".

F) HEAT RESISTANCE

Artstone has a wide interval range in terms of heat resistance. According to the tests performed under ASTM C 666 standards, it has been observed that there is no deterioration or deformation in frost resistance test and no loss of weight. In determination of resistance to water and moisture, expansion-tensile values' accordance with technical specifications and also ASTM E 1069 temperature resistance limit, it has been observed that the product is resistant up to 800°C.

G) USE OF HIGH-QUALITY PAINTS

Fastness guarantee of façades up to 20 years with our solution partnership with the world's leading brand "JOTUN", which proved itself in the sector, is another distinctive feature of Artstone panels.



OUR DIFFERENCES

GUARANTEE PERIODS

A) PRODUCT GUARANTEE

Artstone panels, which have "15-year product guarantee period", take place near the top among brands of composite sector in Turkey. Artstone gives a 15-year guarantee to the person or company that purchases the product as of the invoice date the product is purchased. Under normal terms of use, Artstone products are guaranteed against any problems that might arise from the production. Structural deteriorations such as superficial cracks, rotting and breakage are under the guarantee. In case that there is an unusual deterioration in the product during the guarantee period, it can be reported with a written petition and a photo of the impaired part by agreeing with an Artstone authority. If it is deemed appropriate as a result of the examinations, Artstone is responsible for replacing only the damaged part with a new one or refunding the individual or company as only the damaged product's panel value.

B) INSTALLATION GUARANTEE

With its large, professional and trained staff, Artstone is offering a "5-Year Installation Guarantee" on product applications. Our company, which shows its difference with its sensitivity on the starting and finishing date of projects, is making its guarantee official with reciprocal sales agreements.

SUPERIORITY IN INSTALLATION

With foreign-oriented installation teams within our body, we provide services to domestic & foreign retail and project-based requests with optimal deadlines and our broad professional staff.

In addition, at the created training academy, thanks to the product training provided by experienced Artstone installation supervisors and field training supported by practical applications done in the worksite, training service is provided to candidate teams that would like to receive training. Installation is performed with "smart screw" and "nail pounding"

methods, without compromising on the quality of installation equipment. Our solution partnership with the world's leading brand "HILTI" continues with the awareness that certain solution in panel application is directly proportional to equipment quality.

Use of certified consumables is another important factor that affects the installation quality. The fact that the mastic filling used to put additional spaces together during product application is elastic is a feature that cancels out the possibility of crackage, which arises from natural conditions on the exterior use in addition to interior applications and can occur in time.



CUSTOM APPLICATIONS


A rich color chart we present thanks to our solution partnership with world's leading brand JOTUN and unlimited color combinations that can be applied to the desired panel structure, and also aging structures obtained in the product's visual effect with "special patina" methods, we can apply "custom colors and different structures" and customize the product.

DELIVERY NETWORK

With "Artstone Decorative Wall Panels", which are all designed and produced in Turkey, the optimum level in stock management is maintained. In parallel with the fact that trade is rapidly expanding, Artstone is presenting "fast and optimum solutions" to its customers with "50.000 m² ready stock with 90+ different models". Artstone's goal at this point is to respond to the customer's project regardless of their request and as fast as possible without keeping them wait.

CERTIFIED PRODUCTS

The main reason that Artstone is taking the product quality to high standards and has international standards is because it gets the necessary tests for panels done both at home and abroad by prestigious institutions. It is very important for our company that our quality standards are determined by significant institutions such as TÜV, INTERTEK, İTÜ.



EXTENSIVE REFERENCES

Artstone has carried out more than 9.000+ projects since 2005, both at home and abroad. We have successfully taken the most important brands of almost all sectors into our references; especially from housing, hotels, restaurants, health, public sector and private businesses. It gives us happiness that these numbers are increasing as we serve to more different masses day after day.

R&D

Tracking the changing world and trends instantly, Artstone is constantly developing new models with its R&D team and aiming to present the best solutions to its customers. By its brand vision, the company is in a constant renovation related to the current trends. In this way, it is adding value to walls with its new solutions, contributing to the sector's future vision with the products it develops and while developing itself it is also inspiring competitors to develop themselves.

ORIGINAL PRODUCT SUPPLY

The back surface of all our panels is covered with craft paper that has the special Artstone logo on it. All products have "ID numbers" and "custom holographic" stickers on the back surface that indicate that the product is original. All panel formatted products that do not have this feature are copied products.



CUSTOMER SATISFACTION

Making no compromises on product quality and its vision since its foundation, Artstone presents top-quality service to its customers with the most advantageous prices and works with all its power to keep their satisfaction at the maximum level and it is creating loyal customers thanks to its continuous standard product and application service.

ARTSTONE AT A GLANCE

PRODUCTION CAPACITY 250.000 SQM/YEAR

MAIN PRODUCT RANGE DECORATIVE PANELS FOR; WALL, CEILING, FACADE

INNOVATIVE, PIONEER SOLUTIONS THAT CREATE TRENDS

MORE THAN 50 EMPLOYEES
2 CENTRAL SHOWROOMS
25 DEALERS
90+ DIFFERENT MODELS
1.000+ COLOR COMBINATIONS
12.500+ COMPLETED PROJECTS


PRODUCTION AREA 9.500 M²

1ST IN THE SECTOR IN TERMS OF MARKET DOMINANCE

AS A RESULT OF COSTUMER SATISFACTION SURVEYS 95% CUSTOMER SATISFACTION

EXPORT TO 50+ COUNTRIES





1 Vision & Strategy DEFINITION OF GOALS AND SCOPE OF PROJECT

- Concept Analysis
- Changing Needs
- Budgeting
- Risk Analysis

2 Planning REALISATION OF PROJECT

- Programme Planning
- Project and Construction Management
- Production and Purchasing Management
- Quality Management

3 Business Process REGULATED COMMISSIONING AND AFTERCARE

- Commissioning
- Aftercare
- Warranty
- Quality Assurance





With its logistics and purchasing services at home and abroad, Artstone provides timeless surfaces with long product life guarantee.

The company started its journey with the goal of creating "natural spaces to be used safely for years" by expanding the areas of use of Artstone products, which are produced in its own factory that has advanced technology in international standards with completely domestic investments. In this direction, the company has specified expanding panel wall awareness in construction and decorative products sectors and enhancing the quality of products and services as its mission.

Our market-leading company is focusing on quality and gives this criteria prominence. Accordingly, we are producing our products, which are in "A2 s1 d0 Non-Combustible Class" and a first in its sector, in conformity with the quality norms and standards specified by Germany-based "TÜV-SÜD".

ARTSTONE CONTINUES
TO BE PARTNERS
IN MANY PROJECTS IN
**AMERICA, EUROPE, RUSSIA
AND VARIOUS COUNTRIES OF
ASIA AND AFRICA.**





All written and visual materials (articles, photographs, drawings, work photos and website codes) presented in this catalogue belong to Artstone Panel Sistemleri A.Ş. and its rightful owners. These content are protected by applicable intellectual property, copyright, trademark, patent and or other related laws. Reproduction, distribution, adaptation, arrangement, publishing to the public, transmission, transfer, rental, sale or illegal use of the above mentioned information without the written permission of Artstone Panel Sistemleri A.Ş. is prohibited. In the event of a violation of an intellectual property right, the violator shall assume all legal liability and retain the right to commence legal proceedings by Artstone Panel Sistemleri A.Ş. or the rightful owner thereof.

© 2024

artstone®

THE ART OF
COVERINGS

artstone®



THE ART OF
COVERINGS

Artstone Panel Sistemleri A.Ş.

Showroom: Barbaros Bulvarı No: 24/B 34349 Balmumcu, Beşiktaş | İstanbul | **Türkiye**
Factory - HQ: Velimeşe OSB Mah. 252 Sk. No: 28/1A 59930 Ergene | Tekirdağ | **Türkiye**
T. +90 444 4 278 | T2. +90 212 221 11 13

info@artstone.com | artstone.com

     /artstonepanel

